

INDUSTRIAL BRUSHES

STEEL WIRE WHEEL BRUSH (Flexible Type)

Item No.	Diameter: mm(in)	Width (mm)	Length (mm)	Thread Hole: mm(in)	Max RPM	Remark
WW-15	38 (1½)	10	8	13 (½)	6,000	Medium face. Material: Steel, Brass Coated or Stainless Steel Type
WW-20	50 (2)	10	12	13 (½)	6,000	
WW-25	65 (2½)	10	15	13 (½)	6,000	
WW-30	75 (3)	12	20	13 (½)	6,000	
WW-40	100 (4)	15	25	13 (½)	6,000	



CUP BRUSH (Flexible Type)

Item No.	Diameter: mm(in)	Length (mm)	Thread Hole: mm(in)	Max RPM	Remark
CC-31	75 (3)	25	M10 x 1.5	12,500	CC-Type Air/Electric Tools
CCO-35	75 (3)	25	16 (5/8)	12,500	CCO-Type : Air Tools
CCO-45	100 (4)	30	16 (5/8)	9,000	CCO-Type : Air Tools



DISH BRUSH

Item No.	Diameter: mm(in)	Length (mm)	Thread Hole: mm(in)	Max RPM	Remark
VO-45	100 (4)	20	16 (5/8)	12,500	For Air Tools



WIRE BRUSH WITH SHANK

Item No.	Diameter: mm(in)	Width (mm)	Length (mm)	Shank (mm)	Max RPM	Remark
SWA-12	30 (1¼)	8	6	6	18,000	For use on drills and high speed electric tools
SWA-15	40 (1½)	10	10	6	18,000	
SWA-20	50 (2)	12	12	6	15,000	
SWA-25	65 (2½)	12	18	6	15,000	
SWA-30	75 (3)	13	20	6	12,000	
SWA-40	100 (4)	13	25	6	12,000	



END BRUSH

Item No.	Diameter: mm(in)	Length (mm)	Overall Length	Shank (mm)	Max RPM	Remark
SE-02	6 (¼)	20	70	6	20,000	For use on drills and high speed electric tools
SE-03	10 (3/8)	20	70	6	20,000	
SE-04	12 (½)	25	75	6	20,000	
SE-05	16 (5/8)	25	75	6	20,000	
SE-06	20 (¾)	25	75	6	20,000	
SE-10	25 (1)	25	75	6	20,000	
SE-140	20 (¾)	25	75	6	20,000	



CUP BRUSH WITH SHANK

Item No.	Diameter: mm(in)	Length (mm)	Arbor Hole/Shank (mm)	Max RPM	Remark
SC-15	40 (1½)	20	6	4,500	For do it yourself type
SC-20	50 (2)	20	6	4,500	
SC-25	65 (2½)	25	6	4,500	
SC-30	75 (3)	25	6	4,500	

